CLAIMS

What is claimed is:

5 1. A compound of formula I

$$Ar \xrightarrow{S} \xrightarrow{R_1} \xrightarrow{R_2} \xrightarrow{R_3}$$

I

or a pharmaceutically-acceptable salt or prodrug thereof,

10

wherein R_1 , R_2 , R_3 , R_4 , and R_5 are independently selected from

- a. hydrogen,
- b. halogen,
- 15
- c. alkyl,
- d. haloalkyl,
- e. alkoxy,
- f. cyano,
- g. nitro,
- 20
- h. carboxaldehyde, and

10

with the proviso that at least one of R_1 or R_3 is a "cis-cinnamide" or a "trans-cinnamide", defined as

"cis-cinnamide"

$$\bigvee_{R_8}^{R_9} \bigvee_{N}^{R_{10}}_{R_{11}}$$

"trans-cinnamide",

wherein R_8 and R_9 are independently selected from

- a. hydrogen, and
- b. alkyl,
- c. carboxy alkyl,
- d. alkylaminocarbonyl alkyl, and
- e. dialkylaminocarbonyl alkyl,
- and R_{10} and R_{11} are independently selected from
 - a. hydrogen,
 - b. alkyl,
 - c. cycloalkyl,
- d. alkoxycarbonylalkyl,
 - e. hydroxyalkyl,

- f. substituted aryl,
- g. heterocyclyl,
- h. heterocyclylalkyl,
- i. heterocyclylamino,
- j. substituted heterocyclyl, and
 - k. substituted heterocyclylalkyl,

or where $NR_{10}R_{11}$ is heterocyclyl or substituted heterocyclyl, where substituents are independently selected from

10

- 1) alkyl,
- 2) alkoxy,
- 3) alkoxyalkyl,
- 4) cycloalkyl,

15

- 5) aryl,
- 6) heterocyclyl,
- 7) heterocyclylcarbonyl,
- 8) heterocyclylalkylaminocarbonyl,
- 9) hydroxy,

- 10) hydroxyalkyl,
- 11) hydroxyalkoxyalkyl,
- 12) carboxy,

13) carboxyalkyl,

14) carboxycarbonyl,

	15) carboxaldehyde,
•	16) alkoxycarbonyl,
5	17) arylalkoxycarbonyl,
	18) aminoalkyl,
	19) aminoalkanoyl,
	20) carboxamido,
	21) alkoxycarbonylalkyl,
10	22) carboxamidoalkyl,
	23) cyano,
	24) tetrazolyl,
	25) substituted tetrazolyl,
	26) alkanoyl,
15	27) hydroxyalkanoyl,
	28) alkanoyloxy,
	29) alkanoylamino,
	30) alkanoyloxyalkyl,
	31) alkanoylaminoalkyl,
20	32) sulfonate,
	33) alkylsulfonyl,
	34) alkylsulfonylaminocarbonyl,

- 35) arylsulfonylaminocarbonyl, and
- 36) heterocyclylsulfonylaminocarbonyl,

and wherein \mathbf{Ar} is a substituted aryl or substituted heteroaryl group, where

- 5 substitutions are independently selected from
 - a. hydrogen,
 - b. halogen,
 - c. alkyl,
- 10
- d. aryl,
- e. haloalkyl,
- f. hydroxy,
- g. alkoxy,
- h. alkoxyalkyl,
- 15
- i. alkoxycarbonyl,
- j. alkoxyalkoxy,
- k. hydroxyalkyl,
- 1. aminoalkyl,
- m. aminocarbonyl,
- 20
- $n. \ \ alkyl (alkoxycarbonylalkyl) aminoalkyl,$
- o. heterocyclyl,
- p. substituted heterocyclyl,

s. carboxaldehyde,

t. carboxaldehyde hydrazone,

5 u. carboxamide,

v. alkoxycarbonylalkyl,

w. carboxy,

x. carboxyalkyl,

y. carboxyalkoxy,

z. carboxythioalkoxy,

aa. carboxycycloalkoxy,

bb. thioalkyl,

cc. hydroxycarbonylalkyl (carboxyalkyl),

dd. hydroxyalkylaminocarbonyl,

ee. cyano,

ff. amino,

gg. heterocyclylalkylamino,

hh. carboxyalkylamino,

ii. heterocyclylalkylaminocarbonyl, and

20 jj. "trans-cinnamide",

- 2. A compound according to Claim 1 wherein R₁ is a "cis-cinnamide" or a "transcinnamide", and R₃ is hydrogen.
- 5 3. A compound according to Claim 1 wherein R₃ is a "cis-cinnamide" or a "transcinnamide", and R₁ is hydrogen.
 - 4. A compound according to Claim 1 wherein R_3 is a "cis-cinnamide" or a "trans-cinnamide", and R_1 , R_8 , and R_9 are hydrogen.

- 5. A compound according to Claim 4 wherein R₃ is a "cis-cinnamide".
- 6. A compound according to Claim 4 wherein R₃ is a "trans-cinnamide".
- 7. A compound according to Claim 1 wherein R₃ is a "cis-cinnamide" or a "transcinnamide", R₁, R₂, and R₄ are each independently hydrogen or alkyl; and R₅ is selected from halogen, haloalkyl, and nitro.
 - 8. A compound according to Claim 4 wherein **Ar** is substituted aryl or substituted heteroaryl.

- A compound according to Claim 4 wherein R₁₀ and R₁₁ are each independently selected from hydrogen, alkyl, cycloalkyl, alkoxycarbonylalkyl, hydroxyalkyl, and heterocyclylalkyl.
- 5 10. A compound according to Claim 4 wherein NR₁₀R₁₁ is heterocyclyl or substituted heterocyclyl.
- 11. A compound according to Claim 8 wherein Ar is selected from substituted phenyl, 1,3-benzimidazol-2-one, 1,4-benzodioxane, 1,3-benzodioxole, 1 10 benzopyr-2-en-4-one, indole, isatin, 1,3-quinazolin-4-one, and quinoline.
 - 12. A compound according to Claim 1 selected from the group consisting of: (2,4-Dichlorophenyl)[2-(*E*-((6-hydroxyhexylamino)carbonyl)ethenyl)phenyl] sulfide;
- 15 (2,4-Dichlorophenyl)[2-(*E*-((3-(1-imidazolyl)propylamino)carbonyl)ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-chloro-4-(*E*-((2 hydroxyethylamino)carbonyl)ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-chloro-4-(E-((6 ydroxyhexylamino)carbonyl)ethenyl)phenyl]
- 20 sulfide;
 - (2,4-Dichlorophenyl)[2-chloro-4-(*E*-((bis-(2-hydroxyethyl)amino)carbonyl)ethenyl) phenyl] sulfide;

- (2,4-Dichlorophenyl)[2-chloro-4-(*E*-((3-(1-pyrrolidin-2-only)propylamino)carbonyl) ethenyl)phenyl] sulfide;
- (2,4-Dichlorophenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl)ethenyl)phenyl] sulfide;
- 5 (2,4-Dichlorophenyl)[2-chloro-4-(*E*-((4-methylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-chloro-4-(E-((4-(2-pyridyl)piperazin-1-yl)carbonyl)
- 10 ethenyl)phenyl] sulfide;
 - $(2-(Hydroxymethyl)phenyl)[2-chloro-4-(\textit{E-}((1-morpholinyl)carbonyl) \\ ethenyl)phenyl] sulfide;$
 - (2-Bromophenyl)[2-chloro-4-(E-((1-morpholinyl)carbonyl) ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-chloro-4-(E-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)
- ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-chloro-4-(*E*-((4-(2-hydroxyethoxyethyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;
 - (2-Bromophenyl)[2-chloro-4-(E-((3-(hydroxymethyl)piperidin-1-yl)carbonyl) ethenyl)phenyl] sulfide;
- 20 (2-Bromophenyl)[2-chloro-4-(*E*-((2-(hydroxymethyl)piperidin-1-yl)carbonyl) ethenyl)phenyl] sulfide;

- (2-Bromophenyl)[2-chloro-4-(E-((3-acetamidopyrrolidin-1-
- yl)carbonyl)ethenyl)phenyl] sulfide;
- (2-Bromophenyl)[2-chloro-4-(*E*-((4-hydroxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
- 5 (2-Bromophenyl)[2-chloro-4-(E-((piperidin-1-yl)carbonyl) ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-chloro-4-(E-((3-carboxypiperidin-1-
 - yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-chloro-4-(E-((4-carboxypiperidin-1-
 - yl)carbonyl)ethenyl)phenyl] sulfide;
- 10 (2-Bromophenyl)[2-chloro-4-(E-((4-acetylhomopiperazin-1
 - yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Bromophenyl)[2-chloro-4-(*E*-((thiomorpholin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Bromophenyl)[2-chloro-4-(E-((4-(1-benzimidazol-2-only)piperidin-1-yl)carbonyl)
- ethenyl)phenyl] sulfide;
 - (2-Bromophenyl)[2-chloro-4-(*E*-((2-etrahydroisoquinolinyl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Methylphenyl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;
- 20 (2-Methylphenyl)[2-trifluoromethyl-4-(*E*-((1-morpholinyl)carbonyl)ethenyl)phenyl] sulfide;
 - $(2\hbox{-}Methylphenyl) [2\hbox{-}trifluoromethyl-4-(} \hbox{E-((2-(1\hbox{-}morpholinyl)ethylamino)carbonyl)}$

ethenyl)phenyl] sulfide;

- (2-Methylphenyl)[2-trifluoromethyl-4-(*E*-((4-phenylpiperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;
- (2-Methylphenyl)[2-trifluoromethyl-4-(E-((3-(1-pyrrolidin-2-onyl)propylamino)
- 5 carbonyl) ethenyl)phenyl] sulfide;
 - (2-Methylphenyl)[2-trifluoromethyl-4-(E-
 - ((cyclopropylamino)carbonyl)ethenyl)phenyl]

sulfide;

- (2,4-Dichlorophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]
- 10 sulfide;
 - (2,4-Dichlorophenyl)[2-nitro-4-(*E*-((3-(1-pyrrolidin-2-only)propylamino)carbonyl) ethenyl)phenyl] sulfide;
 - (2,3-Dichlorophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
- (4-Bromophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (4-Methylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-nitro-4-(E-((4-(tert-butoxycarbonyl)piperazin-1-yl)carbonyl)
- 20 ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(2-furoylcarbonyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;

- (2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(methanesulfonyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;
- (2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(diethylaminocarbonylmethyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;
- 5 (2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(diethylaminocarbonyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-nitro-4-(*E*-((4-(*tert*-butoxycarbonylmethyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;
 - $(2,4-{\rm Dichlorophenyl})[2-{\rm nitro}-4-(\ \textit{E-}((4-({\rm carboxycarbonyl}){\rm piperazin-1-yl}){\rm carbonyl})$
- 10 ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-nitro-4-(*E-*((4-(carboxymethyl)piperazin-1-yl)carbonyl) ethenyl)phenyl] sulfide;
 - (2-Methylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
- 15 (2-Chlorophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Aminophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Hydroxymethylphenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)
- 20 phenyl]sulfide;
 - (2-Ethylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

sulfide;

- (2-iso-Propylphenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
- (2-*tert*-Butylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
- 5 (2-Chlorophenyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl))2-propenyl)phenyl] sulfide;
 - $(2-(1-Morpholinylmethyl)phenyl)[2-chloro-4-(\textit{E-}((1-morpholinyl)carbonyl) ethenyl) \\ phenyl] sulfide;$
- 10 (2-(4-(1,3-Benzodioxolyl-5-methyl)piperazin-1-ylmethyl)phenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl) ethenyl)phenyl] sulfide;
 - $(2-(4-(iso-Propylaminocarbonylmethyl)piperazin-1-ylmethyl)phenyl)[2-chloro-4-(\it E-((1-morpholinyl)carbonyl) ethenyl)phenyl] sulfide;$
 - (2-((N-Ethoxycarbonylmethyl-N-methyl)aminomethyl)phenyl)[2-chloro-4-(E-((1-
- morpholinyl)carbonyl) ethenyl)phenyl] sulfide;
 - (2-Formylphenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl)ethenyl)phenyl] sulfide; (2-(4-Formylpiperazin-1-ylmethyl)phenyl)[2-chloro-4-(*E*-((1-morpholinyl)carbonyl) ethenyl)phenyl] sulfide;
 - (2-(E-((1-Morpholinyl)carbonyl)ethenyl)phenyl)[2-chloro-4-(E-((1-morpholinyl)
- 20 carbonyl)ethenyl)phenyl] sulfide;
 (2-Formylphenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]

```
(2-Formylphenyl)[2-chloro-4-( E-((1-morpholinyl)carbonyl)ethenyl)phenyl] sulfide, N,N-dimethyl hydrazone; (2-((3-(1-Morpholinyl)propyl)-1-amino)phenyl)[2-chloro-4-( E-((1-morpholinyl)carbonyl) ethenyl)phenyl] sulfide; (2-4-Dichlorophenyl)[2-bromo-4-( E-((3-(1-pyrrolidin-2-only)propylamino)carbonyl
```

- 5 (2,4-Dichlorophenyl)[2-bromo-4-(*E*-((3-(1-pyrrolidin-2-only)propylamino)carbonyl) ethenyl)phenyl] sulfide;
 - (2,4-Dichlorophenyl)[2-formyl-4-(*E*-((1-morpholinyl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Chloro-6-formylphenyl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)
- 10 phenyl] sulfide;
 - (2-Cyanophenyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl) ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-cyano-4-(*E*-((morpholin-1-yl)carbonyl) ethenyl) phenyl] sulfide;
- (2-Bromophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)
 ethenyl) phenyl] sulfide;

 (2-(Byrrolidin 1-yl)phenyl)[2-chloro 4-(E-((morpholin-1-yl)carbonyl)
 - (2-(Pyrrolidin-1-yl)phenyl)[2-chloro-4-(*E*-((morpholin-1-yl)carbonyl) ethenyl) phenyl] sulfide;
 - (2-Methoxyphenyl)-[2-chloro-4(E-[(morpholin-1-yl)carbonyl]ethenyl)phenyl]sulfide;
- 20 (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carbomethoxypiperazin-1-yl)carbonyl) ethenyl) phenyl] sulfide;

- (2-Methylphenyl)[2-nitro-4-(*E*-((3-carboxamido-4-carbobenzoxypiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (2-Isopropylphenyl)[2-nitro-4-(*E*-((2-carbomethoxy-4-*tert*-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 5 (2-Isopropylphenyl)[2-nitro-4-(*E*-((2-carboxy-4-*tert*-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl) ethenyl) phenyl] sulfide;
 - $(2\hbox{-} Isopropylphenyl) [2\hbox{-} trifluoromethyl-4-(\hbox{\it E-((morpholin-1-yl)carbonyl}) \\$
- 10 ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-trifluoromethyl-4-(E-((3-(pyrrolidin-2-on-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;
 - (2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((cyclobutylamino)carbonyl) ethenyl) phenyl] sulfide;
- 15 (2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((cyclopentylamino)carbonyl) ethenyl) phenyl] sulfide;
 - $(2-Isopropylphenyl)[2-trifluoromethyl-4-(\emph{E-}((5-hydroxypent-1-ylamino)carbonyl) ethenyl) phenyl] sulfide;$
 - (2-Isopropylphenyl)[2-nitro-4-(E-((3-carbomethoxy-4-acetylpiperazin-1-
- 20 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Biphenyl)[2-chloro-4-(*E*-((morpholin-1-yl)carbonyl) ethenyl) phenyl] sulfide;

```
(3,4-Dimethylphenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-
```

yl)carbonyl)ethenyl)phenyl]sulfide;

- (2-Bromophenyl)[2-trifluoromethyl-4-(E-((4-acetylpiperazin-1-yl)carbonyl)
- ethenyl) phenyl] sulfide;
- 5 (5-Indolyl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)

ethenyl) phenyl] sulfide;

(5-Benzodioxolyl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)

ethenyl) phenyl] sulfide;

- (2-Isopropylphenyl)[2-nitro-4-(E-((2-carbomethoxypiperazin-1-yl)carbonyl)ethenyl)
- 10 phenyl] sulfide;
 - (2,3-Dimethoxyphenyl)-[2-chloro-4(E-[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 - (2-Fluorophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-
 - yl) carbonyl) ethenyl) phenyl] sulfide;
- 15 (2-Bromophenyl)[2-trifluoromethyl-4-(E-((4-(tert-butoxycarbonyl)piperazin-1-

yl)carbonyl)ethenyl) phenyl] sulfide;

(2-(Pyrrolidin-1-yl)phenyl)[2-trifluoromethyl-4-(E-((4-(tert-t-1)phenyl)e-(2-(tert-t-1)phenyl)e-(2-(tert-t-1)phenyl)e-(tert-t-1)phenyl

butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

- (3-Carboxamidophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)
- 20 ethenyl) phenyl] sulfide;
 - (3-(Hydroxymethyl)phenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)

ethenyl) phenyl] sulfide;

- Phenyl[2-trifluoromethyl-4-(*E*-((4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxy-4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (2-Isopropylphenyl)[2-nitro-4-(E-((3-(pyridine-4-methylaminocarbonyl)-4-tert-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 (2-Ethoxyphenyl)-[2-chloro-4(E-[(morpholin-1-yl)carbonyl]ethenyl)phenyl]sulfide;
 (2-Methoxyphenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
- 10 (2-(Azetidin-1-yl)phenyl)[2-trifluoromethyl-4-(*E*-((4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 (2-(Piperidin-1-yl)phenyl)[2-trifluoromethyl-4-(*E*-((4-(*tert*-butoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 (3-Chloro-2-formylphenyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)
- ethenyl) phenyl] sulfide;

 (2-Trifluoromethylphenyl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)

 ethenyl) phenyl] sulfide;

 (3-Bromophenyl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)

 ethenyl) phenyl] sulfide;
- 20 (3,5-Dimethylphenyl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl) ethenyl) phenyl] sulfide;

- (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-dimethylaminocarbonyl-4-(pyridine-4-carbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

 (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-dimethylaminocarbonyl-4-
- 5 (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-dimethylaminocarbonyl-4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(1-morpholinocarbonyl)-4-*tert*-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

carbomethoxypiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

- (2-Isopropylphenyl)[2-nitro-4-(E-((3-(pyridine-4-methylaminocarbonyl)piperazin-1-
- 10 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-(((3-dimethylaminocarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(benzylaminocarbonyl)-4-*tert*-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (2-Isopropylphenyl)[2-nitro-4-(E-((3-(dimethylaminocarbonyl)-4-tert-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 (2-Bromophenyl)[2-chloro-4-(E-((3-(5S-hydroxymethyl-pyrrolidin-2-on-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;
 - (2-Bromophenyl)[2-chloro-4-(E-((3-(pyrrolidin-2-on-1-yl)prop-1-ylamino)carbonyl)
- 20 ethenyl)phenyl]sulfide;
 - (2-Bromophenyl)[2-chloro-4-(E-(N-methyl-N-(3-(pyrrolidin-2-on-1-yl)prop-1-yl)amino)carbonyl) ethenyl)phenyl]sulfide;

- (2-[2-Methoxy]ethoxyphenyl)-[2-chloro-4(E-[(morpholin-1-
- yl)carbonyl]ethenyl)phenyl] sulfide;
- (2-Isopropylphenyl)[2-nitro-4-(E-((3-(morpholinocarbonyl)piperazin-1-
- yl)carbonyl)ethenyl) phenyl] sulfide;
- 5 (2-Isopropylphenyl)[2-nitro-4-(E-((4-tert-butoxycarbonylpiperazin-1
 - yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((4-methoxycarbonylpiperazin-1-
 - yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-(4-(pyridine-4-carbonyl)piperazin-1-
- 10 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((3-(pyridine-3-methylaminocarbonyl)-4-tert-
 - butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - $(2-Isopropylphenyl) [2-nitro-4-(\it E-((3-(pyridine-2-methylaminocarbonyl)piperazin-1-methylaminocarbonyl)] [2-nitro-4-(\it E-((3-(pyridine-2-methylaminocar$
 - yl)carbonyl)ethenyl) phenyl] sulfide;
- 15 (2-Isopropylphenyl)[2-nitro-4-(E-((3-(pyridine-3-methylaminocarbonyl)piperazin-1
 - yl)carbonyl)ethenyl) phenyl] sulfide;
 - (4-Hydroxyphenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-
 - yl)carbonyl)ethenyl)phenyl]sulfide;
 - (3,5-Dichlorophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-
- 20 yl)carbonyl)ethenyl)phenyl]sulfide;
 - (2-Bromophenyl)[2-chloro-4-(E-((3-(5S-acetoxymethyl-pyrrolidin-2-on-1-yl)prop-1-yl)] (2-Bromophenyl)[2-chloro-4-(E-((3-(5S-acetoxymethyl-pyrrolidin-2-on-1-yl)prop-1-yl)prop-1-yl)] (2-Bromophenyl)[2-chloro-4-(E-((3-(5S-acetoxymethyl-pyrrolidin-2-on-1-yl)prop-1-yl
 - ylamino)carbonyl) ethenyl)phenyl]sulfide;

- (2-Bromophenyl)[2-chloro-4-(E-((3-(5S-methoxymethyl-pyrrolidin-2-on-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;
- (2-Bromophenyl)[2-chloro-4-(E-((3-(4*R*-hydroxymethyl-pyrrolidin-2-on-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;
- Phenyl[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide; (2-Dimethylaminophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl) ethenyl) phenyl] sulfide;
 - (3-((2-Hydroxyethyl)aminocarbonyl)phenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 10 (3-((3-(1-Imidazolyl)propyl)aminocarbonyl)phenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 (3-((2-(1-Morpholinyl)ethyl)aminocarbonyl)phenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 (2-Isopropylphenyl)[2-nitro-4-(E-((3-hydroxymethyl-4-tert-
- butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

 (2-Isopropylphenyl)[2-nitro-4-(*E-*((4-formylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((2-hydroxymethyl-4-tert-butoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 20 (2-Ethoxyphenyl)-[2-chloro-4(E-[(3-ethoxycarbonylpiperidin-1-yl)carbonyl]ethenyl) phenyl]sulfide;

```
437
```

```
(3- Aminophenyl)[2-nitro-4-( E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
(4-Aminophenyl)[2-nitro-4-( E-((4-acetylpiperazin-1-
```

- yl)carbonyl)ethenyl)phenyl]sulfide;
- 5 (2,4-Dimethylphenyl)[2- nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 - (2,5-Dimethylphenyl)[2- nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 - (4-Methoxyphenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-
- 10 yl)carbonyl)ethenyl)phenyl]sulfide;
 - (3-Chlorophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-
 - yl)carbonyl)ethenyl)phenyl]sulfide;

yl)carbonyl)ethenyl) phenyl] sulfide;

- (2-Chloro, 4,5-diaminophenyl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 15 (3,4-Diaminophenyl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)
 - phenyl]
 (6-Chlorobenzimidazol-2-on-5-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-
 - yl)carbonyl)ethenyl) phenyl] sulfide;
 - (1-Methylindol-7-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)
- 20 phenyl] sulfide;
 - (2-Hydroxy, 4-aminophenyl)[2-chloro-4-(E-((4-acetylpiperazin-1-

- (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-methylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-(pyridine-2-carbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 5 (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-(pyridine-3-carbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((2-carbomethoxy-4-methoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((2-carboxy-4-methoxycarbonylpiperazin-1-
- 10 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carbomethoxy-4-methylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Ethoxyphenyl)-[2-chloro-4(*E*-[(3-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
- (2-Ethoxyphenyl)-[2-chloro-4(E-[(3-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 - (2-Ethoxyphenyl)-[2-chloro-4(E-[(2-ethoxycarbonylpiperidin-1-yl)carbonyl]ethenyl) phenyl]sulfide;
 - (2-Ethoxyphenyl)[2-trifluoromethyl-4-(E-((1-(tert-butoxycarbonyl)-4-
- 20 hydroxypyrrolidin-3-ylamino)carbonyl)ethenyl) phenyl] sulfide;
 (2-Ethoxyphenyl)-[2-chloro-4(*E*-[(2-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;

- (2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-(((pyrrol-3-in-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (2-Ethoxyphenyl)[2-trifluoromethyl-4-(E-((3-(pyrrolidin-2-on-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;
- 5 (2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-((4-(ethoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Ethoxyphenyl)[2-trifluoromethyl-4-(E-((4-(2-furylcarbonyl)piperazin-1-
- 10 yl)carbonyl)ethenyl) phenyl] sulfide;
 - $(2-Ethoxyphenyl)-[2-chloro-4(\emph{E-}[(3-ethoxycarbonylpiperidin-1-yl)carbonyl]ethenyl)\\ phenyl]sulfide;$
 - $(2-Ethoxyphenyl)-[2-chloro-4(\emph{E-}[(4-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;$
- (Benzodioxan-6-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((4-ethoxycarbonylpiperazin-1-
 - yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((4-isopropoxycarbonylpiperazin-1-
- 20 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-isobutoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

```
(2-Isopropylphenyl)[2-nitro-4-( E-((4-((1-propen-2-oxy)carbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

(2-Isopropylphenyl)[2-nitro-4-( E-((4-propionylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
```

- 5 (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-carboxamidopiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-methylaminocarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((4-(pyrimidin-2-yl)piperazin-1-
- 10 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-hydroxyacetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-(pyrazine-2-carbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 15 (2-Isopropylphenyl)[2-trifluoromethyl-4-(*E*-(((2-carboxypyrrol-3-in-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-hydroxymethyl-4-methylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-trifluoromethyl-4-(E-(((2-carboxypyrrol-3-in-1-
- 20 yl)carbonyl)ethenyl) phenyl] sulfide;
 - $(2-Isopropylphenyl)[2-trifluoromethyl-4-(\it E-(((2-hydroxymethylpyrrolidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;$

- (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-methylaminocarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (2-Isopropylphenyl)[2-nitro-4-(*E*-(((3-cyclopropylaminocarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 5 (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carboxamidopiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carbomethoxy-4-oxopiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((3,5-dimethylpiperazin-1-yl)carbonyl)ethenyl)
- 10 phenyl] sulfide;
 - (1-Ethylindol-7-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (3-[2-Methoxy]ethoxyphenyl)-[2-chloro-4(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
- 15 (2-Bromophenyl)[2-chloro-4-(E-((4,4'-S-dioxythiomorpholin-1-yl)carbonyl) ethenyl)phenyl]sulfide;
 - (2-Bromophenyl)[2-chloro-4-(E-(N-carbomethoxymethyl-N-(3-(pyrrolidin-2-on-1-yl)prop-1-yl)amino)carbonyl) ethenyl)phenyl]sulfide;
 - (2-Bromophenyl)[2-chloro-4-(E-((4-S-oxythiomorpholin-1-yl)-2-(4-
- pyrrolidinone)carbonyl) ethenyl)phenyl]sulfide;

 (2-Methoxy-5-chlorophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)

 phenyl] sulfide;

```
(2-Isopropylphenyl)[2-nitro-4-( E-((3-acetoxymethyl)piperazin-1-
```

- yl)carbonyl)ethenyl) phenyl] sulfide;
- $(2-Isopropylphenyl) [2-nitro-4-(\ \ E-((3,5-dimethyl-4acetylpiperazin-1-4acetylpiperazi$
- yl)carbonyl)ethenyl) phenyl] sulfide;
- 5 (1-Methylindol-5-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (Benzodioxan-6-yl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (Benzodioxan-6-yl)[2-nitro-4-(E-((3-(pyrrolidin-2-on-1-yl)prop-1-ylamino)carbonyl)
- 10 ethenyl)phenyl]sulfide;
 - (Benzodioxan-6-yl)[2-nitro-4-(*E*-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (Benzodioxan-6-yl)[2-nitro-4-(*E*-((4-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
- (2-Ethoxyphenyl)[2-trifluoromethyl-4-(Z-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - $(2-Ethoxyphenyl) [2-trifluoromethyl-4-(\emph{E-}((6-methylpyrid-2-methylpy$
 - ylamino)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Methyl-3-chlorophenyl) [2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl) ethenyl)
- 20 phenyl] sulfide;
 - (Benzodioxan-6-yl)[2-nitro-4-(E-((3-carboxamidopiperidin-1-yl) carbonyl)ethenyl)
 - phenyl] sulfide;

phenyl] sulfide;

```
(Benzodioxan-6-yl)[2-nitro-4-( E-((2-carboethoxypiperidin-1-yl) carbonyl)ethenyl)
phenyl] sulfide;
(Benzodioxan-6-yl)[2-nitro-4-( E-((4-carboxamidopiperidin-1-yl) carbonyl)ethenyl)
```

- 5 (Benzodioxan-6-yl)[2-nitro-4-(*E*-((4-*tert*-butoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((*syn*-3,5-dimethylmorpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((anti-3,5-dimethylmorpholin-1-
- 10 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((3-carboethoxypiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-isopropoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 15 (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(dimethylaminocarbonyl)-4-methylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carbomethoxy-4-hydroxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((3-hydroxymethyl-4-hydroxypiperidin-1-
- 20 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxy-4-(methoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

- (2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxy-4-methyl piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-((2-carboxy-4-(methoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (Indol-6-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide; (1-Ethyl,3-(dimethylaminomethyl)indol-7-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (5-Ethoxybenzodioxan-6-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 10 (2-Ethyl-4-bromophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-nitro-4-(E-((2-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-nitro-4-(E-((4-carboxymethylpiperazin-1-yl)

- 15 carbonyl)ethenyl) phenyl] sulfide;
 - (3-Morpholinophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (5-Ethoxybenzodioxan-8-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 20 (5-Chloro-8-ethoxyquinolin-7-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

```
(2-Isopropylphenyl)[2-nitro-4-( E-((3-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
```

- (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carboxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 5 (2-Isopropylphenyl)[2-nitro-4-(*E*-(((3-ethanesulfonylaminocarbonyl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-(((3-(4-methylpiperazine)

sulfonylaminocarbonyl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

- (2-Isopropylphenyl)[2-nitro-4-(E-(((3-p-toluenesulfonylaminocarbonyl)piperidin-1-1-1)] and the property of the property o
- 10 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((3-methyl-4-acetylpiperazin-1-
 - yl)carbonyl)ethenyl) phenyl] sulfide;
 - $(2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl) sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl) sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl) sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl) sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl) sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl) sulfide (2-Hydroxyphenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholin-1-yl)carbonyl]ethenyl)-[2-chloro-4(\emph{E-}[(morpholi$
 - (1-(Carboxymethyl)indol-5-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-
- 15 yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((4-acetylpiperazin-1-

yl)carbonyl)ethenyl) phenyl] sulfide;

(2-Isopropylphenyl)[2-nitro-4-(E-((3-(1-pyrrolidin-2-onyl)prop-1-ylamino)

carbonyl)ethenyl) phenyl] sulfide;

20 (3-(2-Morpholinoethylamino)phenyl)[2-trifluoromethyl-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

- (2-Pyrrolidin-1-ylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (3-Bromophenyl)[2-nitro-4-(*E*-((3-carboethoxypyrrolidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 5 (3-Bromophenyl)[2-nitro-4-(*E*-((4-carboethoxypyrrolidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-(Hydroxymethyl)-benzodioxan-6-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-(pyrrolidin-2-on-1-yl)prop-1-
- 10 ylamino)carbonyl) ethenyl)phenyl]sulfide;
 - (3-(Dimethylaminomethyl)indol-5-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((2-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (2-Isopropylphenyl)[2-nitro-4-(*E*-((2-carboxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((4-carboxypiperidin-1-yl)carbonyl)ethenyl)
- 20 phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-(((4-*p*-toluenesulfonylaminocarbonyl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

```
(2-Isopropylphenyl)[2-nitro-4-( E-((3-carboxy-4-hydroxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-( E-((3-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
```

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((2-carboethoxypiperidin-1-yl)
 carbonyl)ethenyl) phenyl] sulfide;
 (Benzodioxan-6-yl)[2-nitro-4-(E-((4-carboxypiperidin-1-yl) carbonyl)ethenyl)

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-carboxypyrrolidin-1-

10 yl)carbonyl)ethenyl) phenyl] sulfide;

phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((4-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxy-4-*tert*-butoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

- 15 (Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxy-4-methoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

 (Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((2-carbomethoxypiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
- yl)carbonyl)ethenyl) phenyl] sulfide;(1-(2-Methoxyethyl)indol-5-yl)[2-chloro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

```
(2-Isopropylphenyl)[2-nitro-4-( E-((3-acetoxymethyl-4-hydroxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
```

- (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(dimethylaminocarbonyl)-4-hydroxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 5 (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-cyanomorpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E-*((3-carboethoxymorpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((3-(tetrazol-5-yl)morpholin-1-
- 10 yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((4-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((2-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

- (Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((4-carbomethoxypiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-aza-6,9-diooxaspiro[5.4]decan-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (Benzo dioxan-6-yl)[2-trifluoro-4-(E-((4-(benzimidazolon-1-yl)piperidin-1-yl)piperidin-1-yl)]
- yl)carbonyl)ethenyl) phenyl] sulfide;
 (Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((4-(methylaminocarbonyl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

```
(Benzodioxan-6-yl)[2-trifluoromethyl-4-( E-((3-carbomethoxy-4-methoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide; (2-Isopropylphenyl)[2-nitro-4-( E-((3-carboxymorpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
```

- (Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((2-carboxy-4-methoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 (Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((4-(pyrrolidin-1-yl)piperidin-1-
- (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-aza-6,9-diooxaspiro[5.4]decan-1-yl)carbonyl)ethenyl) phenyl] sulfide;

yl)carbonyl)ethenyl) phenyl] sulfide;

- (2-Isopropylphenyl)[2-nitro-4-(*E*-((2-(dimethylaminomethyl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 15 (2-Isopropylphenyl)[2-nitro-4-(*E*-((piperidin-1-ylamino)carbonyl)ethenyl) phenyl] sulfide;
 - (Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-carboxy-4-methoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - $(2-(Dimethylaminocarbonyl)-benzodioxan-6-yl)[2-chloro-4-(\ \textit{E-}((4-acetylpiperazin-1-acetylpiperazi$
- yl)carbonyl)ethenyl) phenyl] sulfide;;
 (2-Isopropylphenyl)[2-nitro-4-(E-((3-(2-(methoxymethyl)tetrazol-5-yl) piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide

- (2-Isopropylphenyl)[2-nitro-4-(E-((3-(1-(methoxymethyl)tetrazol-5-yl) piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (1-Methylindol-5-yl)[2-chloro-4-(*E*-((3-(1-pyrrolidin-2-onyl)propylamino) carbonyl)ethenyl) phenyl] sulfide;
- 5 (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(tetrazol-5-yl) piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (1-Methylindol-5-yl)[2-chloro-4-(*E*-((3-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide
 - (1-Methylindol-5-yl)[2-chloro-4-(E-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)
- 10 phenyl] sulfide;
 - (1-Methylindol-5-yl)[2-chloro-4-(*E*-((4-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - $(1-Methylindol-5-yl)[2-chloro-4-(\it E-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)$ phenyl] sulfide;
- 15 (2-Isopropylphenyl)[2-nitro-4-(*E*-((2-(1-methylpyrrolidin-2
 - yl)ethylamino)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-(pyrrolidin-1-yl)piperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - $(2-Isopropylphenyl) [2-nitro-4-(E-((4-sulfopiperidin-1-yl)carbonyl) ethenyl) \ phenyl] \\$
- 20 sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-hydroxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

```
(Benzodioxan-6-yl)[2-trifluoromethyl-4-( E-((3-
```

((ethanesulfonylamino)carbonyl)piperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-((p-

toluenesulfonylamino)carbonyl)piperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

- 5 (Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((4-
 - ((ethanesulfonylamino)carbonyl)piperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzo dioxan-6-yl) [2-trifluor omethyl-4-(E-((2(tetrazol-5-yl)morpholin-1-trifluor omethyl-4-(E-((2(tetrazol-5-(tet

yl)carbonyl)ethenyl) phenyl] sulfide;

(2-Isopropylphenyl)[2-nitro-4-(E-((2-butyl, 5-(tetrazol-5-yl)morpholin-1-

- 10 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-(and 3-)(Hydroxymethyl)-benzodioxan-6-yl)[2-nitro-4-(E-((4-acetylpiperazin-1-

yl)carbonyl)ethenyl) phenyl] sulfide;

(2-(and 3-)(Hydroxymethyl)-benzodioxan-6-yl)[2-nitro-4-(E-((3-(pyrrolidin-2-on-1-

yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;

15 (2-(and 3-)(Hydroxymethyl)-benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-

(pyrrolidin-2-on-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;

(3-Hydroxymethyl)-benzodioxan-6-yl)[2-nitro-4-(E-((3-(pyrrolidin-2-on-1-yl)prop-1-

ylamino)carbonyl) ethenyl)phenyl]sulfide;

(Benzodioxan-6-yl)[2-chloro-4-(E-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)

20 phenyl]

(2-(and 3-)(Aminomethyl)-benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-(pyrrolidin-2-on-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;

- (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(methylaminocarbonyl)morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

 (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(hydroxymethyl)morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 5 (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(acetoxymethyl)morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((3-(aminomethyl)morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((3-(acetamidomethyl)morpholin-1-
- 10 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (Benzodioxan-6-yl)[2-chloro-4-(E-((3-(pyrrolidin-2-on-1-yl)prop-1-ylamino)carbonyl) ethenyl)phenyl]sulfide;
 - (Benzodioxan-6-yl)[2-chloro-4-(*E*-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
- (Benzodioxan-6-yl)[2-chloro-4-(*E*-((2-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide
 - (2-Methoxyphenyl)-[2,3-dichloro-4(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 - (2-Methoxyphenyl)-[2,3-dimethyl-4(E-[(morpholin-1-yl)carbonyl]ethenyl)phenyl]
- 20 sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((indol-5-ylamino)carbonyl)ethenyl) phenyl] sulfide;

```
(Benzodioxan-6-yl)[2-chloro-4-( E-((3-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2-chloro-4-( E-((3-(tetrazol-5-yl)piperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
```

- 5 (Benzodioxan-6-yl)[2-chloro-4-(*E*-((4-(*tert*-butoxycarbonyl)piperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (Benzodioxan-6-yl)[2-chloro-4-(E-((2-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-chloro-4-(E-((3-(tetrazol-5-yl)morpholin-1-yl)

- 10 carbonyl)ethenyl) phenyl] sulfide;
 - (Benzodioxan-6-yl)[2-chloro-4-(*E*-((4-(methylaminocarbonyl)piperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (2-Methoxyphenyl)-[2,3-dichloro-4(*E*-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl) phenyl] sulfide;
- 15 (Benzodioxan-6-yl)[2-chloro-4-(*E*-((4-(tetrazol-5-yl)piperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (2-Methoxyphenyl)-[3-chloro-4(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl]sulfide; (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-oxopiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 20 (Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-*R*-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

10

15

20

carbonyl)ethenyl) phenyl] sulfide;

```
(Benzodioxan-6-yl)[2-trifluoromethyl-4-( E-((3-R-carboxypiperidin-1-
yl)carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-(E-((3-(pyrrolidin-2-on-1-yl)prop-1-
ylamino)carbonyl) ethenyl)phenyl]sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-( E-((4-acetylpiperazin-1-yl) carbonyl)ethenyl)
phenyl] sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-( E-((3-carboethoxypiperidin-1-yl)
carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-( E-((4-carboethoxypiperidin-1-yl)
carbonyl)ethenyl) phenyl] sulfide;
(Benzodioxan-6-yl)[2,3-dichloro-4-( E-((3-carboxypiperidin-1-yl) carbonyl)ethenyl)
phenyl] sulfide;
 (Benzodioxan-6-yl)[2,3-dichloro-4-( E-((4-carboxypiperidin-1-yl) carbonyl)ethenyl)
phenyl] sulfide;
 (2-Isopropylphenyl)[2,3-dichloro-4-( E-((3-(1-pyrrolidin-2-onyl)propylamino)
carbonyl)ethenyl) phenyl] sulfide;
 (2-Isopropylphenyl)[2,3-dichloro-4-( E-((4-acetylpiperazin-1-yl) carbonyl)ethenyl)
phenyl] sulfide;
 (2-Isopropylphenyl)[2,3-dichloro-4-( E-((3-carboethoxypiperidin-1-yl)
carbonyl)ethenyl) phenyl] sulfide;
 (2-Isopropylphenyl)[2,3-dichloro-4-( E-((4-carboethoxypiperidin-1-yl)
```

```
(2-Isopropylphenyl)[2,3-dichloro-4-( E-((3-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
```

- (2-Isopropylphenyl)[2,3-dichloro-4-(*E-*((4-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
- 5 (1-Methylindol-5-yl)[2,3-dichloro-4-(*E*-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (1-Methylindol-5-yl)[2,3-dichloro-4-(*E*-((3-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (1-Methylindol-5-yl)[2,3-dichloro-4-(E-((4-carboethoxypiperidin-1-yl)
- 10 carbonyl)ethenyl) phenyl] sulfide;
 - (1-Methylindol-5-yl)[2,3-dichloro-4-(*E*-((4-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (2-Ethoxyphenyl)-[2,3-dichloro-4(*E*-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl) phenyl] sulfide;
- 15 (2-Ethoxyphenyl)-[2,3-dichloro-4(*E*-[(morpholin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
 - (2-Ethoxyphenyl)-[2,3-dichloro-4(*E*-[(3-carboxypiperidin-1-yl)carbonyl]ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(E-((3-carboethoxypyrrolidin-1-yl)carbonyl)ethenyl)
- 20 phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-carboxypyrrolidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

- (2-Isopropylphenyl)[2,3-difluoro-4-(E-((3-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

 (2-Isopropylphenyl)[2,3-difluoro-4-(E-((3-carboxypiperidin-1-yl)carbonyl)]
- (2-Isopropylphenyl)[2,3-difluoro-4-(*E*-((3-carboxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 5 (2-Isopropylphenyl)[2,3-difluoro-4-(*E*-((4-carboxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(*E*-((3-ethoxycarbonylpyrrolidin-1-yl)carbonyl)ethenyl) phenyl] sulfide

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-carboxypyrrolidin-1-

- 10 yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Methoxyphenyl)[2-chloro-3-trifluoromethyl-4-(E-((4-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Methoxyphenyl)[2-chloro-3-trifluoromethyl-4-(*E*-((4-carboethoxypiperidin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- (2-Methoxyphenyl)[2-chloro-3-trifluoromethyl-4-(E-((morpholin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 (Benzodioxan-6-yl) [4-(E-((4-carboxypiperidin-1-yl) carbonyl)ethenyl)naphthyl] sulfide;
 - (2-Methoxyphenyl) [2,3-dichloro-4-(E-((4-(spiro-hydantoin-5-yl)-piperidin-1-
- 20 yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Methoxyphenyl) [2,3-dichloro-4-(*E*-(4-(2-(2-hydroxyethoxy)ethyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

```
457
```

```
(2-Methoxyphenyl)[2,3-dichloro-4-(E-((4-ethylpiperazin-1-
```

- yl)carbonyl)ethenyl)phenyl] sulfide;
- (2-Isopropylphenyl)[2,3-dichloro-4-(E-((4-(2-(2-hydroxyethoxy)ethyl)piperazin-1-
- yl)carbonyl)ethenyl)phenyl] sulfide;
- 5 (Benzodioxan-6yl)[2,3-bis(trifluoromethyl)-4-(E-((4-carboxypiperidin-1
 - yl)carbonyl)ethenyl)phenyl]sulfide;
 - (2-Methoxyphenyl) [2,3-dichloro-4-(E-((4-(carboxymethylamino)carbonyl-piperidin-
 - 1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-carboxymethylpiperazin-1-yl)
- 10 carbonyl)ethenyl)phenyl]sulfide;
 - (2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-N-(2-hydroxyethyl)piperazin-
 - 1-yl)carbonyl)ethenyl)phenyl]sulfide;
 - (1-Methylindol-5-yl) [2,3-dichloro-4-(E-((4-(carbo-2,3-
 - dihydroxypropylamino)piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
- 15 (2-Methoxyphenyl) [2,3-dichloro-4-(*E*-(4-(2,3-dihydroxypropionyl)piperazin-1
 - yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Methoxyphenyl) [2,3-dichloro-4-(E-(4-(2,3-dihydroxy-3-
 - carboxypropionyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (1-Methylindol-5-yl) [2,3-dichloro-4-(E-((4-(carboxymethylamino)carbonyl-
- 20 piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (1-Methylindol-5-yl) [2,3-dichloro-4-(E-((4-sulfopiperidin-1-
 - yl)carbonyl)ethenyl)phenyl] sulfide;

- (1-Methylindol-5-yl) [2,3-dichloro-4-(*E*-(4-methylhomopiperazin-1-
- ylcarbonyl)ethenyl)phenyl] sulfide;
- (1-Methylindol-5-yl) [2,3-dichloro-4-(E-(4-tetrohydrofuroylpiperazin-1-
- yl)carbonyl)ethenyl)phenyl] sulfide;
- 5 (2-Methoxyphenyl) [2,3-dichloro-4-(*E*-((4-amino-4-carboxypiperidin-1
 - yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Methoxyphenyl)[2,3-dichloro-4-((4-furoylpiperazin-1-yl)carbonyl)ethenyl)phenyl]
 - sulfide;
 - (1-Methylindol-5-yl) [2,3-dichloro-4-(E-(4-(carbo-3-sulfopropylamino)piperadin-1-
- 10 yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Methoxyphenyl)[2,3-dichloro-4-(E-(4-acetylamino-4-carboxypiperidin-1-
 - ylcarbonyl)ethenyl)phenyl] sulfide;
 - (2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-carboxypiperidin-1-
 - yl)carbonyl)ethenyl)phenyl]sulfide;
- 15 (2-Methoxyphenyl) 5-[8-(E-((4-(aminocarbonyl)piperidin-1
 - yl)carbonyl)ethenyl)quinolinyl]sulfide;
 - (2-Methoxyphenyl) [2-trifluoromethyl-4-(E-((4-carboxypiperidin-1-
 - yl)carbonyl)ethenyl)phenyl]sulfide;
 - (1-Methylindol-5-yl) [2,3-dichloro-4-(E/Z-((1S,4S)-2,5-diazabycyclo(2,2,1)heptan-
- 20 2-ylcarbonyl)ethenyl)-2,3-dichlorophenyl] sulfide;
 - (1-Methylindol-5-yl) [2,3-dichloro-4-(E-(4-hydroxy-3-carboxypiperadin-1-
 - ylcarbonyl)ethenyl)phenyl] sulfide;;

- (1-Methylindol-5-yl) [2,3-dichloro-4-(E-(S-oxothiomorpholin-1-ylcarbonyl)ethenyl) phenyl] sulfide;
- (2-Methoxyphenyl) [2,3-dichloro-4-(*E*-((4-sulfophenylamino)carbonyl)ethenyl)phenyl] sulfide;
- 5 (2-Methoxyphenyl) [2,3-dichloro-4-(*E*-((4-carboxyphenylamino)carbonyl)ethenyl)phenyl] sulfide;

[3-(4-Morpholino)phenyl] [2,3-dichloro-4-(E-[(4-carboxypiperidin-1-

yl)carbonyl]ethenyl)phenyl] sulfide;

[3-(4-Morpholino)phenyl] [2,3-dichloro-4-(E-((4-carboxypiperidin-1-

- 10 yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Methoxyphenyl)[2,3-bis(trifluoromethyl)-4-(E-((4-phenylcarboxypiperidin-1-
 - yl)carbonyl)ethenyl)phenyl]sulfide;
 - (2-Methoxyphenyl) [2,3-dichloro-4-(E-(((4-hydroxylaminocarbonyl)piperidin-1-
 - yl)carbonyl)ethenyl)phenyl] sulfide;
- 15 (2-Methoxyphenyl) [2,3-dichloro-4-(*E*-((N-carboxymethyl-N-phenylamino)carbonyl)ethenyl)phenyl] sulfide;

- (2-Methoxyphenyl) [3-chloro-6-hydroxy-4-(E-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
- (2-Methoxyphenyl) [2,3-dichloro-4-(*E*-(4-((1-(2-phenyl-1-carboxyethyl)amino)carbonyl)piperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
- 5 (2-Methoxyphenyl) [2,3-dichloro-4-(E-(4-((1-(2-hydroxy-1-carboxyethyl)amino)carbonyl)piperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 (3-(1-(3-Carboxypiperidinyl)phenyl)[2,3-dichloro-4-(E-((1,2,5,6-tetrahydropyridin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
- (3-(4-Pyrrolidin-1-yl)piperidin-1-yl)phenyl) [2,3-dichloro-4-(E-(((3-(2-pyrrolidinon-
- 10 1-yl)propylamino)carbonyl)ethenyl)phenyl]sulfide;
 - [3-(4-(Spiro-2,2-dioxolanyl)piperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-morpholinyl)carbonyl)ethenyl)phenyl]sulfide;
 - [3-(3-Carboxylpiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
- 15 (2-(2-Carboxy)ethenyl)phenyl) [2,3-dichloro-4-(E-((4-morpholinyl)carbonyl)ethenyl)phenyl]sulfide;
 - [3-(4-Carboxylpiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-[(1,2,3,6-
 - [3-(4-Carboxylpiperidinyl)phenyl] [2,3-dichloro-4-(E-[(4-

tetrahydropyridine)-1-yl)carbonyl]ethenyl)phenyl] sulfide;

20 morpholinyl)carbonyl]ethenyl)phenyl] sulfide;
[2-(4-Acetylpiperazin-1-yl)phenyl] [2,3-dichloro-4-(*E*-[(4-carboxypiperidin-1-

yl)carbonyl]ethenyl)phenyl] sulfide;

- 3-(3-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-[(4-morpholinyl)carbonyl]ethenyl)phenyl] sulfide;
- [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-[(4-
- (dimethylaminosulfamoyl)piperazin-1-yl)carbonyl]ethenyl)phenyl] sulfide;
- 5 (2-Methoxyphenyl)[2,3-bis(trifluoromethyl)-4-(E-((3-carboxypiperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 - (2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((2-carboxypyrrolidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
 - [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-
- ((trifluoromethylsulfonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (2-Methoxyphenyl)[2,3-dichloro-4-(E-(piperidin-1-ylcarbonyl)ethenyl)phenyl] sulfide;
 - (2-Hydroxyphenyl) [2,3-dichloro-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
- (2-Methoxyphenyl) [2,3-dichloro-4-(E-((((4-carboxyphenyl)methyl)amino)carbonyl)ethenyl)phenyl]sulfide;
 (2-Methoxyphenyl) [2,3-dichloro-4-(E-(((4-pyrrolidin-1-yl)piperidin-1-yl)carbonyl)ethenyl)phenyl]sulfide;
- (2-Hydroxyphenyl)[2,3-dichloro-4-(E-((4- carboxypiperidin-1-20 yl)carbonyl)ethenyl)phenyl]sulfide;
 - [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-((4-((methylsulfonyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

- (2-Aminophenyl) [2,3-dichloro-4-(*E*-((4-morpholinyl)carbonyl)ethenyl) sulfide;
- (3-(4-carboxypiperidin-1-yl)phenyl)[2,3-dichloro-4-(*E*-((S-oxothiomorpholin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
- 5 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-((4-hydroxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

(2-Glycoxyphenyl) [2,3-dichloro-4-(E-((4-

3.5

morpholino)carbonyl)ethenyl)phenyl]sulfide;

(2-(4-Butyroxy)phenyl)[2,3-dichloro-4-(E-((4-

- 10 morpholino)carbonyl)ethenyl)phenyl]sulfide;
 - [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-((4-hydroxyethylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-((4-furoylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
- 15 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-((pyrrolidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-

((diethylaminocarbonyl)ethenyl)phenyl] sulfide;

[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-ethylpiperazin-

20 yl)carbonyl)ethenyl)phenyl] sulfide;

[3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(E-((4-

(aminocarbonyl)piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

- [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-((4-(2-(ethoxyethyl)piperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 [3-((4-Carboxymethyl)piperazin-1-yl)phenyl] [(2,3-dichloro-4-(E-(4-morpholinyl)carbonyl)ethenyl)phenyl] sulfide;
- 5 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
 (3-Hydroxyphenyl) [2,3-dichloro-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
 [3-(4-Butyroxy)phenyl] [2,3-dichloro-4-(E-((4-
- 10 morpholino)carbonyl)ethenyl)phenyl]sulfide;
 (2-Hydroxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
 (3-Hydroxyphenyl)[2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
- 15 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-ditrifluoromethyl-4-(E-((4-hydroxypiperidin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-ditrifluoromethyl-4-(E-((1,2,5,6-tetrahydropyridin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

- [2-((4-Carboxy)butyloxy)phenyl] [2,3-dichloro-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
 (2-Glycoxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
- (2-(4-Butyroxy)phenyl)[2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-ditrifluoromethyl-4-(E-((bis-(2-ethoxyethyl)amino)carbonyl)ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-bis-(trifluoromethyl)-4-(E-((bis-(2-ethoxypiperidin-1-yl)phenyl) [2,4-bis-(2-ethoxypiperidin-1-yl)phenyl) [2,4-bis-(2-ethoxypiperidin-1-yl)phenyl] [2,4-bis-(2-ethoxypiperidin-1-yl)phenyl) [2,4-bis-(2-ethoxypiperidin-1-yl)phenyl] [2,4-bis-(2-ethoxypiperidin-1-yl)phenyl]
- hydroxypropyl)amino)carbonyl)ethenyl)phenyl] sulfide;
 [3-(4-Carboxypiperidin-1-yl)phenyl] [2,3-bis-(trifluoromethyl)-4-(E-((piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 (3-(4-Butyroxy)phenyl)[2,3-bis(trifluoromethyl)-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide;
- [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-[(3-(2-pyrrolidinon-1-yl)propylaminocarbonyl)ethenyl)phenyl] sulfide;

 [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(*E*-[(3-(2-pyrrolidinon-1-yl)propylaminocarbonyl)ethenyl)phenyl] sulfide;

 [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-dichloro-4-(*E*-((4-(2-pyrrolidinon-1-yl)phenyl]) [2,3-dichloro-4-(*E*-((4-(2-pyrrolidinon-1-yl)phenyl]) [2,3-dichloro-4-(*E*-((4-(2-pyrrolidinon-1-yl)phenyl])]
- hydroxyethyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

 [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(E-((1,2,5,6-tetrahydropyridin-1-yl)carbonyl)ethenyl)phenyl] sulfide;

- [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(*E*-((4-(2-hydroxyethyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide; [2-(3-Carboxypiperidin-1-yl)phenyl] [2,3-bis(trifluoromethyl)-4-(*E*-((4-(2-(hydroxyethoxy)ethyl)piperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide; and (3-(3-Propioxy)phenyl) [2,3-dichloro-4-(E-((4-morpholino)carbonyl)ethenyl)phenyl]sulfide.
 - 13. A compound according to Claim 1 selected from the group consisting of:
- 10 (2-Formylphenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Ethoxyphenyl)-[2-chloro-4(E-[(morpholin-1-yl)carbonyl] ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-dimethylaminocarbonyl-4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
- 15 (2-Isopropylphenyl)[2-nitro-4-(*E*-((4-methoxycarbonylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Ethoxyphenyl)[2-trifluoromethyl-4-(*E*-((2-carboxy-4-(methoxycarbonyl)piperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;
 - (2-Ethyl-4-bromophenyl)[2-nitro-4-(E-((4-acetylpiperazin-1-yl)carbonyl)ethenyl)
- 20 phenyl] sulfide;
 - (3-Morpholinophenyl)[2-nitro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

```
 (2-Isopropylphenyl)[2-nitro-4-(\textit{E-}((3-carboethoxypiperidin-1-yl)carbonyl)ethenyl) \\ phenyl] sulfide;
```

- (2-Isopropylphenyl)[2-nitro-4-(*E*-((3-(1-pyrrolidin-2-onyl)prop-1-ylamino) carbonyl)ethenyl) phenyl] sulfide;
- 5 (2-(Hydroxymethyl)-benzodioxan-6-yl)[2-chloro-4-(*E*-((4-acetylpiperazin-1-yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-carboxypyrrolidin-1-

yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((4-carboethoxypiperidin-1-yl)

10 carbonyl)ethenyl) phenyl] sulfide;

 $(Benzodioxan-6-yl) [2-trifluoromethyl-4-(\ \emph{E-((2-carbomethoxy-4-information) and information and informati$

methoxycarbonylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((2-carbomethoxypiperazin-1-yl)

carbonyl)ethenyl) phenyl] sulfide;

15 (Benzodioxan-6-yl)[2-chloro-4-(*E*-((4-(methylaminocarbonyl)piperazin-1-yl)

carbonyl)ethenyl) phenyl] sulfide;

(2-Methoxyphenyl)-[2,3-dichloro-4(E-[(4-carboxypiperidin-1-yl)carbonyl]ethenyl)

phenyl] sulfide;

(Benzodioxan-6-yl)[2-trifluoromethyl-4-(E-((3-R-carboethoxypiperidin-1-

20 yl)carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2,3-dichloro-4-(E-((3-(pyrrolidin-2-on-1-yl)prop-1-

ylamino)carbonyl) ethenyl)phenyl]sulfide;

```
(Benzodioxan-6-yl)[2,3-dichloro-4-( E-((4-acetylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
```

(Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

- 5 (Benzodioxan-6-yl)[2,3-dichloro-4-(E-((4-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (Benzodioxan-6-yl)[2,3-dichloro-4-(*E*-((3-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;

(Benzodioxan-6-yl)[2,3-dichloro-4-(E-((4-carboxypiperidin-1-yl) carbonyl)ethenyl)

- 10 phenyl] sulfide;
 - (2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((4-acetylpiperazin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((3-carboethoxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
- 15 (2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((3-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (2-Isopropylphenyl)[2,3-dichloro-4-(*E*-((4-carboxypiperidin-1-yl) carbonyl)ethenyl) phenyl] sulfide;
 - (2-Methoxyphenyl) [2,3-dichloro-4-(E-((4-(carboxymethylamino)carbonyl-piperidin-
- 20 1-yl)carbonyl)ethenyl)phenyl] sulfide;
 - (2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-carboxymethylpiperazin-1-yl) carbonyl)ethenyl)phenyl]sulfide; and

(2-Methoxyphenyl) [2,3-bis(trifluoromethyl)-4-(E-((4-N-(2-hydroxyethyl)piperazin-1-yl)carbonyl)ethenyl)phenyl]sulfide.

Insert new compounds here

- 5 14. A compound according to Claim 1 wherein **Ar** is selected from the group consisting of methoxyphenyl and isopropylphenyl.
 - 15. A compound according to Claim 1 wherein **Ar** is benzodioxan or substituted benzodioxan.

10

- 16. A compound according to Claim 1 wherein R₃ is a "trans-cinnamide"; and **Ar** is selected from 1,3-benzimidazol-2-one, 1,4-benzodioxane, 1,3-benzodioxole, 1-benzopyr-2-en-4-one, indole, isatin, phenyl, 1,3-quinazolin-4-one, and quinoline.
- 15 17. A compound according to Claim 1 wherein R₁₀ and R₁₁ are independently selected from hydrogen, alkyl, cycloalkyl, alkoxycarbonylalkyl, hydroxyalkyl, and heterocyclylalkyl.
 - 18. A compound according to Claim 1 wherein NR₁₀R₁₁ is heterocyclyl or substituted heterocyclyl.

- 19. A pharmaceutical composition comprising a compound of Claim 1 in a pharmaceutically-acceptable carrier.
- 20. A method of inhibiting inflammation comprising the administration of a compound of Claim 1 to a mammal in need of treatment.
- 21. A method of inhibiting inflammation comprising the administration of a composition of Claim 12 to a mammal in need of treatment.
- 22. A method of suppressing immune response comprising the administration of a compound of Claim 1 to a mammal in need of treatment.
 - 23. A method of suppressing immune response comprising the administration of a composition of Claim 12 to a mammal in need of treatment.

15

5

24. A compound of formula II

wherein R_1 and R_2 are independently selected from the group consisting of

- i. hydrogen,
- j. halogen,
- 5 k. alkyl,
 - l. haloalkyl,
 - m. alkoxy,
 - n. cyano,
 - o. nitro, and
- p. carboxaldehyde.

25. A process for preparing a compound of formula II

II

which comprises:

5 a) reacting a compound of formula II'

$$H_3CO$$
 S
 R_1
 R_2
 O
 O
 O
 O

with lithium hydroxide, and

10

15

acceptable ester.

- b) cleaving the resulting methyl ether.
- 26. The compound of Claim 1 with the proviso that when three of R_1 , R_2 , R_4 , and R_5 are hydrogen, then the remaining R_1 , R_2 , R_4 , or R_5 is not carboxyl, 5-tetrazolyl, hydroxymethyl or carboxyl derivatized in the form of a pharmaceutically